according to regulation (EC) 1907/2006 (REACH)



Trade name: WL-cid Page 1/6

Revised at: 31.01.2011 Print date: 14.07.2011

1. Identification of the substance/preparation and of the company/undertaking

Trade name: WL-cid

Intended use: All-purpose cleaning and disinfecting solution ready for use for the inner

cleaning and disinfection of dental hollow part instruments, e. g. turbines,

handpieces and contra-angles.

Effect of the preparation: Disinfecting and cleansing agent

Manufacturer: ALPRO MEDICAL GMBH

Mooswiesenstr. 9

D-78112 St. Georgen (Germany) Telephone: +49 7725 9392-0 Telefax: +49 7725 9392-91 Email: alpro@alpro-medical.de Internet: www.alpro-medical.com

Technical contact point: +49 7725 9392-0

Emergency phone: +49 7725 9392-0 (business hours)

+49 761 19240 Poisoning-information-central, Freiburg (24h emergency call)

2. Hazards identification

R10 Flammable.

General hints: The pressurized container may burst in case of heating above 50 °C.

3. Composition/information on ingredients

Chemical characterization: Mixture of substances listed below with nonhazardous additions in

aqueous solution and propellant.

Hazardous ingredients CAS-No. Weight-% Code letter R-phrases*

Ethanol 64-17-5 30-50% F 11

Isopropanol 67-63-0 5-15% F, Xi 11, 36, 67

*Full text of R-phrases: see under section 16

4. First aid measures

General information: Note precautions for self-protection.

On inhalation: Move affected person into fresh air and keep still and warm. In case of

irritation of the airways, seek medical advice.

On contact with skin: Wash off immediately with soap and water. In case of skin reactions, seek

medical advice.

On contact with the eyes: Rinse the eyes with water with the eyelids open for a sufficient length of

time, then seek ophthalmological advice immediately.

If swallowed: Rinse out mouth and then drink plenty of water. Do not induce vomiting.

Seek medical advice.

Information for the doctor: First aid, decontamination, symptomatic treatment.

according to regulation (EC) 1907/2006 (REACH)



Trade name: WL-cid Page 2/6

Revised at: 31.01.2011 Print date: 14.07.2011

5. Fire-fighting measures

Suitable extinguishing media: Water, foam, dry fire-extinguishing media, carbon dioxide

Strong water jet.

Extinguishing media which must not be used

for safety reasons:

Special exposure hazards arising from the

substance or preparation itself, combustion products, resulting gases:

products, resulting gases: In case of fire may be liberated: Carbon monoxide, carbon dioxide

Special protective equipment for firefighting: Not necessary

Additional information: Cool endangered containers with water spray jet and if

possible remove off fire area.

6. Accidental release measures

Personal precautions: Use personal protective clothing. Keep away from all

sources of ignition and electric appliances. No smoking. Provide adequate ventilation. The product may form

potentially explosive mixtures with air. Vapours are heavier

than air.

Environmental precautions: Contain spillage with absorbing material, e.g. with sand.

Methods for cleaning up/taking up: Treat recovered material as prescribed in: Disposal

considerations.

7. Handling and storage

Hints for safe handling: Avoid contact with skin and eyes. Use only in well

ventilated areas. Protect from heat and direct sunlight.

Hints for protection against fire and explosion: Keep away from sources of ignition – No smoking. Do not

spray on a naked flame or any incandescent material. Do not pierce or burn, even after use. Product is flammable.

Further information: Not necessary

Requirements for storage rooms and vessels: The official regulations regarding the storage of pressurized

containers have to be considered. Keep in a cool, well-

ventilated place.

Hints on storage assembly: Not necessary

Further information on storage conditions: Recommended storage temperature: 0 °C – 25 °C

Storage class: LGK 2B

according to regulation (EC) 1907/2006 (REACH)



Trade name: WL-cid Page 3/6

Revised at: 31.01.2011 Print date: 14.07.2011

8. Exposure controls / Personal protection

Constituents with occupational exposure limits rsp. biological occupational exposure limits requiring monitoring:

Maximum occupational exposure concentration; see TRGS 900 (German regulation)

Ethanol CAS-No.: 64-17-5 Air limit value: 500 ml/m³; 960 mg/m³

Overflow factors for short-term values: Peak limitation-category 2(II)

Isopropanol CAS-No.: 67-63-0 Air limit value: 200 ml/m³; 500 mg/m³

Overflow factors for short-term values: Peak limitation-category 2(II)

Biological occupational exposure limits; see TRGS 903 (German regulation)

Isopropanol CAS-No.: 67-63-0

Parameter: Acetone; BAT-value: 50 mg/l; Test material: whole blood rsp. urine

Time of sampling: end of exposition, rsp. end of shift

General health and safety measures:

Do not eat, drink, smoke while working.

Wash hands before breaks and on finishing work.

Preventive skin protection using barrier ointment.

Keep away of foods and drinks.

Avoid contact with eyes, skin and clothing.

Avoid inhalation of aerosols and vapours.

Personal protection equipment:

Respiratory protection: Not necessary if handled cautiously.

Hand protection: E.g. natural rubber- or PVC-gloves are recommended.

Eye protection: Tightly sealed goggles are recommended.

Protective clothing: Not necessary if handled cautiously.

9. Physical and chemical properties

Form: aerosol

Colour: colourless, clear

Odour: alcoholic

pH-value (100g/l H_2O): 7,5-8,5 (20°C)

Boiling point/Boiling range: not relevant to safety

Melting point/Melting range: not relevant to safety

Flash point (DIN, TRbF): 25°C

Flammability (solid, gases): not determinable

Explosive properties: Formation of explosive vapour/air mixtures is possible.

Lower explosion limit: 2 Vol.-%
Upper explosion limit: 20 Vol.-%
Ignition temperature: not necessary

Oxidizing properties: none

Vapour pressure: approx. 3500 hPa at 20°C Vapour pressure: approx. 5000 hPa at 50°C Density: $0.9 \text{ g/cm}^3 \text{ (calcul.)}$ at 20°C

according to regulation (EC) 1907/2006 (REACH)



Trade name: WL-cid Page 4/6

Revised at: 31.01.2011 Print date: 14.07.2011

Bulk density: not determinable at ... °C

Solubility in water: soluble

in ethanol: soluble in hexan: not soluble

Partition coefficient: not necessary (n-octanol/water)

Viskosity (sort): not necessary at ...°C

Electrical conductivity (undiluted): not necessary at ...°C

Refractive index nD: not necessary at ...°C

Optical rotation αD : not necessary

10. Stability and reactivity

Conditions to avoid: Temperatures above 50 °C.

Materials to avoid: No hazardous reactions with other substances known.

Hazardous decomposition products: No decomposition if used as prescribed.

11. Toxicological information

Acute toxicity: No acute toxicity known.

Primary irritant effect on the skin: No primary irritant effect on the skin known.

Primary irritant effect on the eye: No primary irritant effect on the eye known.

Mutagenic potential: No mutagenic potential known.
Sensitization: No sensitizing effects known.

The product was classified on the basis of the calculation procedure of the preparation directive 1999/45/EC.

Based on manufacturer data of the main components the acute toxicity, the skin irritation, the mucous membrane irritation and the mutagenic potential of the preparation were evaluated. However, some data are not complete regarding particular main components. Nevertheless according to the experience of the manufacturer there are no other hazards expected than those which are already mentioned on the label.

12. Ecological information

Ecotoxicity: Inhibition of degradation activity in activated sludge is not to be

anticipated during correct introduction of low concentrations.

Persistence and degradation: Ingredients are biodegradable.

Other adverse effects: No other adverse effects known.

Further information: Do not allow product to reach ground water or waters and do not

empty undiluted product into sewers.

according to regulation (EC) 1907/2006 (REACH)



Trade name: WL-cid Page 5/6

Revised at: 31.01.2011 Print date: 14.07.2011

13. Disposal considerations

Disposal of the product:

In the EC member states there are no standardized regulations for the disposal of chemicals. In Germany the law of the cycle of economy and waste (KrW/AbfG) prescribes the principle of utilization and therefore a distinction must be made between "waste for utilization" and "waste for removal". Furthermore special cases – particularly in case of delivery – are also regulated by the federal states. Please contact the corresponding office (authority or waste disposal company) who will inform you about the utilization or removal.

Waste code no.*: 16 05 04

Disposal of uncleaned as well as completely emptied packings:

Disposal according to official regulations. Contaminated packings are to be treated like the substance.

Waste code no.*: 15 01 10

Further information:

If there is no official regulation, non-contaminated packings can be treated like domestic waste or can be recycled.

*Waste code no.: Waste incurred is classified following the code of the European waste register

according to kind of waste and branch.

14. Transport information

Land transport ADR/RID and GGVSE

UN-No.: 1950 Class: 2.1 Packing Group: -

Proper Shipping Name:

AEROSOLS

Inland waterway craft ADN/ADNR

Not classified.

Marine transport IMDG/GGVSee

UN-No.: 1950 Class: 2.1 Packing Group: -

EmS-No.: F-D; S-U

Proper Shipping Name:

AEROSOLS

Air transport ICAO-TI/IATA-DGR

UN-/ID-No.: 1950 Class: 2.1 Packing Group: -

Proper Shipping Name:

AEROSOLS, flammable

according to regulation (EC) 1907/2006 (REACH)



Trade name: WL-cid Page 6/6

Revised at: 31.01.2011 Print date: 14.07.2011

15. Regulatory information

Labelling

Code letter: Hazard designation: contains: -

R-phrases: R10 Flammable.

S-phrases: S23 Do not breathe aerosol.

S24/25 Avoid contact with skin and eyes. S51 Use only in well-ventilated areas.

Special labelling of certain preparations (preparation directive 1999/45/EC annex V):

The S23 and S51 must be mentioned (see above)

Special labelling (Commission Directive 2008/47/EC for adaption of the arosol directive 75/324/EEC):

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50° C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children.

Inclusive attaching the flame symbol and the indication "Flammable".

National regulations (Germany)

Restrictions of occupation: Juvenile in relation to § 22 JArbSchG

Störfallverordnung: -

Classification according to VbF: Not subject to the VbF

Technische Anleitung Luft:

Water hazard class: WGK 1 (slightly water hazardous); self-classification

16. Other information

Full text of R-phrases appearing in section 3: (This is not the classification of the product WL-cid!)

R11 Highly flammable.

R36 Irritating to eyes.

R67 Vapours may cause drowsiness and dizziness.

Further information:

This information is based on our present knowledge and describes the safety measures which are to be taken for this product. However, this shall not constitute a guarantee for any product features.

Marking of changes:

A backslash in the left hand margin indicates an amendment from the previous version.